DT04 Rec'd PCT/PT0 0 8 JUL 2004 Int'l. Appl. No. PCT/DK03/00007 Docket No. 742111-158

## In the Claims:

Please amend the claims as follows:

- 1. (Currently Amended) Electronic board (2, 102, 202, 302, 402, 502, 602) for playing banko or bingo, comprising rows and columns forming squares (6, 106, 206, 306, 406, 506, 606) containing numbers (4, 104, 204, 304, 404, 504, 604), and which board (2, 102, 202, 302, 402, 502, 602) comprises printed numbers (4, 104, 204, 304, 404, 504, 604) in at least some of the squares (6, 106, 206, 306, 406, 506, 606) formed in the rows and columns of the board (2, 102, 202, 302, 402, 502, 602), when in use during playing the game, a caller transmits drawn numbers to players, where players mark drawn numbers on the board (2, 102, 202, 302, 402, 502, 602), where a game ends when a player has marked a defined number of rows or columns and contacts the caller, eharacterized in that wherein at least the squares (6, 106, 206, 306, 406, 506, 606) containing printed numbers (4, 104, 204, 304, 404, 504, 604) in the rows and columns comprise electronic switches activated by pressing down the squares (6, 106, 206, 306, 406, 506, 606) containing numbers (4, 104, 204, 304, 404, 504, 604), which switches in operation activate marking elements (418, 518, 618) placed in conjunction with the pressed squares (6, 106, 206, 306, 406, 506, 606), which marking elements (418, 518, 618) remain activated during the game where the board (2, 102, 202, 302, 402, 502, 602) comprises a reset function for deactivating all marking elements simultaneously (418, 518, 618) to achieve a fast start of the next game by using the board (2, 102, 202, 302, 402, 502, 602).
- 2. (Currently Amended) Electronic board according to claim 1, eharacterized in that wherein reactivating a numbered square (6, 106, 206, 306, 406, 506, 606) leads to deactivating the marking element (418, 518, 618).
- 3. (Currently Amended) Electronic board according to claim 1, or 2, characterized in that wherein the marking elements (418, 518, 618) are LED elements placed in holes in the surface of the board (2, 102, 202, 302, 402, 502, 602), where the LEDs transmit light upwards from the board (2, 102, 202, 302, 402, 502, 602) towards the player.

Int'l. Appl. No. PCT/DK03/00007 Docket No. 742111-158

- 3 -

- 4. (Currently Amended) Electronic board according to <u>claim 1</u>, <u>wherein any of the elaims 1-3</u>, <u>characterized in that</u>-the marking elements (418, 518, 618) are LCD indicators placed in conjunction with the printed numbers (4, 104, 204, 304, 404, 504, 604) on the board (2, 102, 202, 302, 402, 502, 602).
- 5. (Currently Amended) Electronic board according to claim 4, eharacterized in that wherein the LCD display is formed under the numbers, where the numbers (4, 104, 204, 304, 404, 504, 604) are printed on a transparent medium, where the LCD by activation causes the background (618) under and around the number (4, 104, 204, 304, 404, 504, 604) to become black, which numbers (4, 104, 204, 304, 404, 504, 604) become partly invisible upon activation of the switch.
- 6. (Currently Amended) Electronic board according to claim 4, eharacterized in that wherein the CD indicators are formed as circles (518) around the numbers (4, 104, 204, 304, 404, 504, 604), where a number (4, 104, 204, 304, 404, 504, 604) upon marking is surrounded by a black circle (518).
- 7. (Currently Amended) Electronic board according to claim 4, eharacterized in that wherein the LCD indicators are formed as dots (416) placed in conjunction with the numbers (4, 104, 204, 304, 404, 504, 604), which dots (418) become black upon activation of the switch.
- 8. (Currently Amended) Electronic board according to claim 1, 7, characterized in that wherein the switches are connected to flip-flop input terminals, and the marking elements (418, 518, 618) are connected to flip-flop output terminals, which flip-flop comprises reset terminals connected to the reset switch (10).
- 9. (Currently Amended) Electronic board according to claim 7, eharacterized in that wherein the flip-flops are formed of interconnected NAND gates, where a plurality of NAND gates is formed on the same chip.

10. (Currently Amended) Electronic board according to any of the claims 1,-7, eharacterized in that wherein the switches communicate with a microprocessor, which microprocessor controls the marking elements (418, 518, 618).